


AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions and listings of claims in the application.


Claims 1-18 (canceled)

Claim 19 (currently amended): An isopentylcarboxanilide of formula (I)



in which

L represents



where the bond labelled with * is attached to the amide nitrogen atom, and the bond labelled with # is attached to the alkyl side chain,

R¹ represents hydrogen, C₁-C₈-alkyl, G₄-C₆-alkylsulphinyl, G₄-C₆-alkylsulphonyl, G₄-C₄-alkoxy-C₄-C₄-alkyl, or C₃-C₈-cycloalkyl; represents or C₁-C₆-haloalkyl, G₄-C₄-haloalkylthio, G₄-C₄-haloalkylsulphinyl, G₄-C₄-haloalkylsulphonyl, halo-G₄-C₄-alkoxy-C₄-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl, formyl-G₄-C₃-alkyl, (C₄-C₃-alkyl)carbonyl-G₄-C₃-alkyl, or (G₄-C₃-alkoxy)carbonyl-G₄-C₃-alkyl; represents halo-(G₄-C₃-alkyl)carbonyl-G₄-C₃-alkyl or halo-(G₄-C₃-alkoxy)-carbonyl-G₄-C₃-alkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; represents (G₄-C₈-alkyl)carbonyl, (G₄-C₈-alkoxy)carbonyl, (G₄-C₄-alkoxy-G₄-C₄-alkyl)carbonyl, or (C₃-C₈-cycloalkyl)carbonyl; represents (C₄-C₆-haloalkyl)carbonyl, (C₄-C₆-haloalkoxy)carbonyl, (halo-G₄-C₄-alkoxy-G₄-C₄-alkyl)carbonyl, or (C₃-C₈-halocycloalkyl)carbonyl having in each case 1

to 9 fluorine, chlorine, and/or bromine atoms; or represents $\text{C}(=\text{O})\text{C}(=\text{O})\text{R}^4$, CONR^5R^6 , or $\text{CH}_2\text{NR}^7\text{R}^8$;

R^2 represents hydrogen, fluorine, chlorine, methyl, or trifluoromethyl,

R^3 represents hydrogen, halogen, $\text{C}_1\text{-C}_8\text{-alkyl}$, or $\text{C}_1\text{-C}_8\text{-haloalkyl}$, and

R^4 ~~represents hydrogen, $\text{C}_1\text{-C}_8\text{-alkyl}$, $\text{C}_1\text{-C}_8\text{-alkoxy}$, $\text{C}_1\text{-C}_4\text{-alkoxy-C}_1\text{-C}_4\text{-alkyl}$, or $\text{C}_3\text{-C}_8\text{-cycloalkyl}$; or represents $\text{C}_1\text{-C}_6\text{-haloalkyl}$, $\text{C}_1\text{-C}_6\text{-haloalkoxy}$, halo- $\text{C}_1\text{-C}_4\text{-alkoxy-C}_1\text{-C}_4\text{-alkyl}$, or $\text{C}_3\text{-C}_8\text{-halocycloalkyl}$ having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,~~


R^5 and R^6 ~~independently of one another each represent hydrogen, $\text{C}_1\text{-C}_8\text{-alkyl}$, $\text{C}_1\text{-C}_4\text{-alkoxy-C}_1\text{-C}_4\text{-alkyl}$, $\text{C}_3\text{-C}_8\text{-cycloalkyl}$; or represent $\text{C}_1\text{-C}_8\text{-haloalkyl}$, halo- $\text{C}_1\text{-C}_4\text{-alkoxy-C}_1\text{-C}_4\text{-alkyl}$, or $\text{C}_3\text{-C}_8\text{-halocycloalkyl}$ having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or R^5 and R^6 together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and $\text{C}_1\text{-C}_4\text{-alkyl}$, where the heterocycle optionally contains 1 or 2 further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR^9 ;~~

R^7 and R^8 ~~independently of one another represent hydrogen, $\text{C}_1\text{-C}_8\text{-alkyl}$, or $\text{C}_3\text{-C}_8\text{-cycloalkyl}$; or represent $\text{C}_1\text{-C}_8\text{-haloalkyl}$, $\text{C}_3\text{-C}_8\text{-halocycloalkyl}$ having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or R^7 and R^8 together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring members that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and $\text{C}_1\text{-C}_4\text{-alkyl}$, where the heterocycle optionally contains 1 or 2 further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR^9 ;~~

R^9 ~~represents hydrogen or $\text{C}_1\text{-C}_6\text{-alkyl}$, and~~

A represents

(1) a radical of formula (A1)



in which

R^{10} represents hydrogen, hydroxyl, formyl, cyano, halogen, nitro, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy, C_1 - C_4 -alkylthio, or C_3 - C_6 -cycloalkyl; or represents C_1 - C_4 -haloalkyl, C_1 - C_4 -haloalkoxy, or C_1 - C_4 -haloalkylthio having in each case 1 to 5 halogen atoms; or represents aminocarbonyl or aminocarbonyl- C_1 - C_4 -alkyl,

R^{11} represents hydrogen, halogen, cyano, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy, or C_1 - C_4 -alkylthio; or represents C_1 - C_4 -haloalkyl or C_1 - C_4 -haloalkylthio having in each case 1 to 5 halogen atoms, and


R^{12} represents hydrogen, C_1 - C_4 -alkyl, hydroxy- C_1 - C_4 -alkyl, C_2 - C_6 -alkenyl, C_3 - C_6 -cycloalkyl, C_1 - C_4 -alkylthio- C_1 - C_4 -alkyl, or C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl; represents C_1 - C_4 -haloalkyl, C_1 - C_4 -haloalkylthio- C_1 - C_4 -alkyl, C_1 - C_4 -haloalkoxy- C_1 - C_4 -alkyl having in each case 1 to 5 halogen atoms; or represents phenyl,

with the proviso that R^{10} does not represent iodine if R^{11} represents hydrogen, and

with the proviso that R^{10} does not represent trifluoromethyl or difluoromethyl if R^3 and R^{11} represent hydrogen and R^{12} represents methyl,

or

(2) a radical of formula (A2)




in which

R^{13} and R^{14} independently of one another represent hydrogen, halogen, C_1 - C_4 -alkyl, or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms, and

R¹⁵ represents halogen, cyano, or C₁-C₄-alkyl; or represents C₁-C₄-haloalkyl or C₁-C₄-haloalkoxy having in each case 1 to 5 halogen atoms,

or

(3) a radical of formula (A3)




in which

R¹⁶ and R¹⁷ independently of one another represent hydrogen, halogen, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms, and

R¹⁸ represents hydrogen, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms,

or

(4) a radical of formula (A4)




in which

R¹⁹ represents hydrogen, halogen, hydroxyl, cyano, or C₁-C₆-alkyl; or represent C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy or C₁-C₄-haloalkylthio having in each case 1 to 5 halogen atoms,

or

~~(5) a radical of formula (A5)~~




~~in which~~

~~R²⁰ represents halogen, hydroxyl, cyano, C₁-C₄-alkyl, C₁-C₄-alkoxy, or C₁-C₄-alkylthio; or represents C₁-C₄-haloalkyl, C₁-C₄-haloalkylthio or C₁-C₄-haloalkoxy having in each case 1 to 5 halogen atoms, and~~

~~R²⁴ represents hydrogen, halogen, cyano, C₁-C₄-alkyl, C₁-C₄-alkoxy, or C₁-C₄-alkylthio; represents C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy having in each case 1 to 5 halogen atoms; or represents C₁-C₄-alkylsulphinyl or C₁-C₄-alkylsulphonyl,~~


or

~~(6) a radical of formula (A6)~~



or

~~(7) a radical of formula (A7)~~



~~in which R²² represents C₁-C₄-alkyl or C₁-C₄-haloalkyl having 1 to 5 halogen atoms,~~

or


~~(8) a radical of formula (A8)~~



~~in which R²³ represents C₁-C₄-alkyl or C₁-C₄-haloalkyl having 1 to 5 halogen atoms,~~

or

~~(9) a radical of formula (A9)~~



~~in which~~


~~R²⁴ and R²⁵ independently of one another represent hydrogen, halogen, amino, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms, and~~

~~R²⁶ represents hydrogen, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms,~~

with the proviso that R^{24} and R^{26} do not simultaneously represent methyl if R^{25} represents hydrogen,

or

- (10) a radical of formula (A10)




in which

R^{27} and R^{28} independently of one another represent hydrogen, halogen, amino, nitro, C_1 - C_4 -alkyl, or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms, and
 R^{29} represents halogen, C_1 - C_4 -alkyl, or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms,

or

- (11) a radical of formula (A11)



in which

R^{30} represents hydrogen, halogen, amino, C_1 - C_4 -alkylamino, di(C_1 - C_4 -alkyl)amino, cyano, C_1 - C_4 -alkyl, or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms, and
 R^{31} represents halogen, hydroxyl, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy, or C_3 - C_6 -cycloalkyl; or represents C_1 - C_4 -haloalkyl or C_1 - C_4 -haloalkoxy having in each case 1 to 5 halogen atoms,
 with the proviso that R^{31} does not represent trifluoromethyl, difluoromethyl or methyl if R^3 represents hydrogen and R^{30} represents methyl,

or

- (12) a radical of formula (A12)




in which

R^{32} represents hydrogen, halogen, amino, C_1 - C_4 -alkylamino, di(C_1 - C_4 -alkyl)amino, cyano, C_1 - C_4 -alkyl, or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms, and

R^{33} represents halogen, C_1 - C_4 -alkyl, or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms [[,]]

or

~~(13) a radical of formula (A13)~~



in which

R^{34} represents hydrogen or C_1 - C_4 -alkyl, and

R^{35} represents halogen or C_1 - C_4 -alkyl,

or


~~(14) a radical of formula (A14)~~



in which R^{36} represents hydrogen, halogen, C_1 - C_4 -alkyl or C_1 - C_4 -haloalkyl having 1 to 5 halogen atoms,

or


~~(15) a radical of formula (A15)~~



in which R^{37} represents halogen, hydroxyl, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy, or C_1 - C_4 -alkylthio; or represents C_1 - C_4 -haloalkyl, C_1 - C_4 -haloalkylthio, or C_1 - C_4 -haloalkoxy having in each case 1 to 5 halogen atoms,

or

~~(16) a radical of formula (A16)~~



in which

~~R³⁸—represents hydrogen, cyano, C₁-C₄-alkyl, C₁-C₄-haloalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C₁-C₄-alkyl, hydroxy-C₁-C₄-alkyl, C₁-C₄-alkylsulphonyl, di(C₁-C₄-alkyl)aminosulphonyl, C₁-C₆-alkylcarbonyl, or optionally substituted phenylsulphonyl or benzoyl,~~

~~R³⁹—represents hydrogen, halogen, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms,~~

~~R⁴⁰—represents hydrogen, halogen, cyano, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms, and~~

~~R⁴¹—represents hydrogen, halogen, C₁-C₄-alkyl, or C₁-C₄-haloalkyl having 1 to 5 halogen atoms,~~

~~with the proviso that R⁴⁰ does not represent trifluoromethyl,~~

or


~~(17)—a radical of formula (A17)~~



~~in which R⁴² represents C₁-C₄-alkyl .~~

Claim 20 (currently amended): An isopentylcarboxanilide of formula (I) according to Claim 19 in which

L represents



where the bond labelled with * is attached to the amide nitrogen atom, and the bond labelled with # is attached to the alkyl side chain,

~~R¹ represents hydrogen, C₁-C₆-alkyl, C₁-C₄-alkylsulphinyl, C₁-C₄-alkylsulphonyl, C₁-C₃-alkoxy-C₁-C₃-alkyl, or C₃-C₆-cycloalkyl; represents or C₁-C₄-haloalkyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulphinyl, C₁-C₄-haloalkylsulphonyl, halo-C₄-C₃-alkoxy-C₁-C₃-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl, formyl-C₁-C₃-~~

alkyl, (C₁-C₃-alkyl)carbonyl-C₁-C₃-alkyl, or (C₁-C₃-alkoxy)carbonyl-C₁-C₃-alkyl; represents halo-(C₁-C₃-alkyl)carbonyl-C₁-C₃-alkyl, or halo-(C₁-C₃-alkoxy)carbonyl-C₁-C₃-alkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₆-alkyl)carbonyl, (C₁-C₄-alkoxy)carbonyl, (C₁-C₃-alkoxy-C₁-C₃-alkyl)carbonyl, or (C₃-C₆-cycloalkyl)carbonyl; represents (C₁-C₄-haloalkyl)carbonyl, (C₁-C₄-haloalkoxy)carbonyl, (halo-C₁-C₃-alkoxy-C₁-C₃-alkyl)carbonyl, or (C₃-C₆-halocycloalkyl)carbonyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents C(=O)C(=O)R⁴, -CONR⁵R⁶, or -CH₂NR⁷R⁸;

R² represents hydrogen, fluorine, chlorine, methyl, or trifluoromethyl,

R³ represents hydrogen, fluorine, chlorine, bromine, iodine, C₁-C₆-alkyl, or C₁-C₆-haloalkyl having 1 to 13 fluorine, chlorine, and/or bromine atoms, and

R⁴—represents hydrogen, C₁-C₆-alkyl, C₁-C₄-alkoxy, C₁-C₃-alkoxy-C₁-C₃-alkyl, or C₃-C₆-cycloalkyl; represents C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy, halo-C₁-C₃-alkoxy-C₁-C₃-alkyl, or C₃-C₆-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms;

R⁵ and R⁶ independently of one another each represent hydrogen, C₁-C₆-alkyl, C₁-C₃-alkoxy-C₁-C₃-alkyl, or C₃-C₆-cycloalkyl; represent C₁-C₄-haloalkyl, halo-C₁-C₃-alkoxy-C₁-C₃-alkyl, or C₃-C₆-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R⁵ and R⁶ together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms that is optionally mono- to tetrasubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl, where the heterocycle optionally contains 1 or 2 further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR⁹;


R⁷ and R⁸ independently of one another represent hydrogen, C₁-C₆-alkyl, or C₃-C₆-cycloalkyl; or represent C₁-C₄-haloalkyl or C₃-C₆-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R⁷ and R⁸ together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl, where the heterocycle optionally contains 1 or 2

~~further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and R⁹;~~

~~R⁹ represents hydrogen or C₁-C₄-alkyl, and~~

A represents

(1) a radical of formula (A1)



in which

R¹⁰ represents hydrogen, hydroxyl, formyl, cyano, fluorine, chlorine, bromine, iodine, methyl, ethyl, isopropyl, methoxy, ethoxy, methylthio, ethylthio, or cyclopropyl; represents C₁-C₂-haloalkyl or C₁-C₂-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms; represents trifluoromethylthio, difluoromethylthio, aminocarbonyl, aminocarbonylmethyl, or aminocarbonylethyl,

R¹¹ represents hydrogen, chlorine, bromine, iodine, methyl, ethyl, methoxy, ethoxy, methylthio, ethylthio, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and


R¹² represents hydrogen, methyl, ethyl, n-propyl, isopropyl, C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, hydroxymethyl, hydroxyethyl, cyclopropyl, cyclopentyl, cyclohexyl, or phenyl,

with the proviso that R¹⁰ does not represent iodine if R¹¹ represents hydrogen and

with the proviso that R¹⁰ does not represent trifluoromethyl or difluoromethyl if R¹¹ and R¹² represent hydrogen and R¹² represents methyl,

or

(2) a radical of formula (A2)




in which

R^{13} and R^{14} independently of one another represent hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C_1 - C_2 -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R^{15} represents fluorine, chlorine, bromine, iodine, cyano, methyl, or ethyl; or represents C_1 - C_2 -haloalkyl or C_1 - C_2 -haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(3) a radical of formula (A3)




in which

R^{16} and R^{17} independently of one another represent hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C_1 - C_2 -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R^{18} represents hydrogen, methyl, ethyl, or C_1 - C_2 -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or


(4) a radical of formula (A4)



in which R^{19} represents hydrogen, fluorine, chlorine, bromine, iodine, hydroxyl, cyano, or C_1 - C_4 -alkyl; or represents C_1 - C_2 -haloalkyl, C_1 - C_2 -haloalkoxy, or C_1 - C_2 -haloalkylthio having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

~~(5) a radical of formula (A5)~~



~~in which~~


~~R^{20} represents fluorine, chlorine, bromine, iodine, hydroxyl, cyano, C_1 - C_4 -alkyl, methoxy, ethoxy, methylthio, ethylthio, difluoro-~~

methythio, or trifluoromethylthio; or represents C_1-C_2 -haloalkyl or C_1-C_2 -haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R^{21} —represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, C_1-C_4 -alkyl, methoxy, ethoxy, methylthio, ethylthio, C_1-C_2 -haloalkyl or C_1-C_2 -haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms, C_1-C_2 -alkylsulphinyl, or C_1-C_2 -alkylsulphonyl,


or

(6)—a radical of formula (A6)



or


(7)—a radical of formula (A7)



in which R^{22} represents methyl, ethyl, or C_1-C_2 -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or


(8)—a radical of formula (A8)



in which R^{23} represents methyl, ethyl, or C_1-C_2 -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(9)—a radical of formula (A9)




in which

~~R²⁴ and R²⁵ independently of one another represent hydrogen, fluorine, chlorine, bromine, amino, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and R²⁶ represents hydrogen, fluorine, chlorine, bromine, iodine, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, with the proviso that R²⁴ and R²⁶ do not simultaneously represent methyl if R²⁵ represents hydrogen,~~

or

(10) a radical of formula (A10)



in which

R²⁷ and R²⁸ independently of one another represent hydrogen, fluorine, chlorine, bromine, amino, nitro, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and R²⁹ represents fluorine, chlorine, bromine, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(11) a radical of formula (A11)




in which

R³⁰ represents hydrogen, fluorine, chlorine, bromine, amino, C₁-C₄-alkylamino, di(C₁-C₄-alkyl)amino, cyano, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and R³¹ represents fluorine, chlorine, bromine, hydroxyl, methyl, ethyl, methoxy, ethoxy, or cyclopropyl; or represents C₁-C₂-haloalkyl or C₁-C₂-haloalkoxy having 1 to 5 fluorine, chlorine, and/or bromine atoms,

with the proviso that R³¹ does not represent trifluoromethyl, difluoromethyl, or methyl if R³ represents hydrogen and R³⁰ represents methyl,

or

(12) a radical of formula (A12)




in which

R³² represents hydrogen, fluorine, chlorine, bromine, amino, C₁-C₄-alkylamino, di(C₁-C₄-alkyl)amino, cyano, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R³³ represents fluorine, chlorine, bromine, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms [.,.]

or

~~(13) a radical of formula (A13)~~




~~in which~~

~~R³⁴ represents hydrogen, methyl, or ethyl, and~~

~~R³⁵ represents fluorine, chlorine, bromine, methyl, or ethyl,~~

or


~~(14) a radical of formula (A14)~~



~~in which R³⁶ represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,~~

or


(15) ~~a radical of formula (A15)~~



~~in which R³⁷ represents fluorine, chlorine, bromine, iodine, hydroxyl, C₁-C₄-alkyl, methoxy, ethoxy, methylthio, ethylthio, difluoromethylthio, or trifluoromethylthio; or represents C₁-C₂-haloalkyl or C₁-C₂-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms,~~

~~or~~

(16) ~~a radical of formula (A16)~~



~~in which~~

~~R³⁸ represents hydrogen, methyl, ethyl, C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, C₁-C₂-alkoxy, C₁-C₂-alkyl, hydroxymethyl, hydroxyethyl, methylsulphonyl, or dimethylaminosulphonyl,~~

~~R³⁹ represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,~~

~~R⁴⁰ represents hydrogen, fluorine, chlorine, bromine, cyano, methyl, ethyl, isopropyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and~~

~~R⁴¹ represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C₁-C₂-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,~~

~~with the proviso that R⁴⁰ does not represent trifluoromethyl,~~

~~or~~

~~(17) a radical of formula (A17)~~



~~in which R⁴² represents methyl, ethyl, n-propyl or isopropyl .~~

Claims 21-22 (canceled)

Claim 23 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which R¹ represents hydrogen, formyl, or -C(=O)C(=O)R⁴, where R⁴ is as defined in Claim 19.

Claim 24 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which A represents A1.

Claims 25-27

Claim 28 (currently amended): A composition for controlling ~~unwanted~~ microorganisms phytopathogenic fungi comprising one or more isopentylcarboxanilides of formula (I) according to Claim 19 and one or more extenders and/or surfactants.

Claim 29 (withdrawn): A method for controlling unwanted microorganisms comprising applying an effective amount of an isopentylcarboxanilide of formula (I) according to Claim 19 to the microorganisms and/or their habitat.

Claims 30-35 (canceled)